

Schütte WHITE WAVE | Duroplast HG, Soft Close

S rychloupínací technologií. Motiv bílé vlny 82584



EAN: 4008431825847

799 Kč

660 Kč bez DPH

Key features of the SCHÜTTE WHITE WAVE toilet seat.

- Toilet seat for all standard-sized WC bowls.
- Duroplast toilet seat WHITE WAVE with high gloss, with soft-close mechanism and quick release
- The double soft-close mechanism ensures that the toilet seat closes slowly and quietly
- Removable toilet seat with a practical quick-release technology for fast and hygienic cleaning of the ceramic.
- Thanks to the Duroplast material, which is extremely resistant to breakage and scratching, the toilet seat is particularly durable.
- Thanks to its high-quality glossy surface, the toilet seat is particularly easy to maintain.
- Additional fastening technology with adhesive pads prevents the toilet seat from slipping.
- EASY INSTALLATION: Top mounting with tilting toggle anchor

Duroplast

The toilet seat is made of Duroplast composite material. Exceptional strength and durability are ensured thanks to the combination of thermosetting plastic and fibers.

SOFT-CLOSE

The toilet seat is equipped with a SOFT-CLOSE system. When lowered, the seat smoothly descends without any risk of damage or unwanted noise. Ideal not only for families with children.

Easy installation

The assembly is very simple, with the help of the attached instructions, anyone can do it in 5 minutes.

Parts of the packaging:

- Instructions

Parameters

Basic parameters

Material:	Duroplast
Closing:	Soft Close
Distance of mounting holes:	90 - 190 mm

Dimensions, weight and packaging

Included in the package:	mounting kit
Warranty:	2
The dimensions of the seat outer (W x D):	approx. 374 x 450 mm
Dimensions of the seat interior (w x d):	approx. 234 x 283 mm
Width of the packaging (cm):	38
Height of packaging (cm):	6
Depth of packaging (cm):	46
Weight including packaging (kg):	2
Product TARIC code:	39222000



SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE



- Schnellverschluss für eine einfache Befestigung
- Absenkautomatik für ein leises Schließen
- sehr hohe Belastbarkeit: bis zu 175 kg erlaubt
- besonders leichte Montage von oben

SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE



Duroplast WC-Sitz
pflegeleichte Oberfläche

SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE




Absenkautomatik
für geräuschloses Schließen

SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE




Schnellverschluss
für einfaches Säubern

SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE



SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE



leichte Montage von oben

SCHÜTTE
KUNSTSTOFF-UND-BEDARF-FÜR-DIE-BAU-INDUSTRIE



