


Vysoce kvalitní filtr, který stabilizuje uhličitán vápenatý a odstraňuje nečistoty.



156 Kč bez DPH

Key features of the Spring Source CMF006 water filter

- certified by NSF42, WQA, TUV Certification
- high-quality lead-free filter cartridge
- effectively removes impurities that impair the taste and aroma of coffee
- The filter improves the efficiency of the device, prolongs the lifespan of the coffee maker.
- 2-year warranty
- contents of packaging 1 pc
- it is easy and quick to install
- for optimal results, it is necessary to replace every 2 months
- the quality of compatible filters is fully comparable to original filters

Filtr Spring Source CMF006 is compatible with DeLonghi DLSC002.

It can be used in the following coffee machines: ECAM and ETAM bean-to-cup coffee machines; Traditional pump coffee machines from the EC680 and EC800 series.

Compatible model of DeLonghi coffee maker:

- **EC800 Series:** EC820.B, EC850.M, EC860.M
- **ESAM series:** ESAM6900 - Primadonna Exclusive, ESAM6700 - Primadonna Avant, ESAM6620 - Primadonna, ESAM04.350.S - Magnifica Pronto Cappuccino, ESAM4200.S - Magnifica, ESAM04.110.S - Magnifica, ESAM4000B - Magnifica, ESAM2600 - Magnifica Caffè Corso
- **ECAM Series:** ECAM 22,310.S - Magnifica S Plus, ECAM 22,360.S - Magnifica S Cappuccino, ECAM 26,465 - Primadonna S Deluxe, ECAM 45,760.W - Eletta Cappuccino Top, ECAM 44.660.B - Eletta Cappuccino, ECAM 44.620.S - Eletta Plus - ECAM 23,420, ECAM 22,110 B, Autentica ETAM 29,660.SB, Autentica ETAM ETAM29.510.B, Dinamica ECAM 350.15 B, Dinamica ECAM 350.35.S, Dinamica ECAM 350.35.W, Dinamica ECAM 350.55 B, Dinamica ECAM 350.55.SB, Dinamica ECAM 353.15.B, Dinamica ECAM 353.75.B, Dinamica ECAM 353.75.W, Dinamica Plus ECAM 370.85.SB, Dinamica Plus ECAM 370.95.S, Dinamica Plus ECAM 370.95.T, ECAM 22,110 W, ECAM 23,460.B, ECAM 23,460.S, ECAM 350.75 S, ECAM 45,760.W, ECAM 23,120.B, ECAM 23,120.SB, ECAM 23,123.B, Eletta Cappuccino TOP ECAM 45,760.W, Eletta ECAM 44,620.S, Eletta ECAM 45,760 W, Eletta Plus ECAM 44,620.S, ESAM420.40.B, ESAM420.80.TB, Maestosa EPAM960.75.GLM, Magnifica Cappuccino ECAM 23,260 B, Magnifica Compact ECAM 23,460 S, Magnifica S Cappuccino ECAM 22,360.W, Magnifica S ECAM 21,117.B, Magnifica S ECAM 21,117.SB, Magnifica S ECAM 22,110 B, Magnifica S ECAM 22,320 B, Magnifica S ECAM 22,360.S, Magnifica S ECAM 22,360.B, Magnifica S Smart ECAM 250.23.SB, Magnifica S Smart ECAM 250.31.SB, Magnifica S Smart ECAM 250.33.TB, Perfecta DeLuxe ESAM 420.80 TB, Perfecta Deluxe ESAM 460.80.MB, Perfecta Evo ESAM 420.40 B, PrimaDonna Class ECAM 550.65 SB, PrimaDonna Class ECAM 550.65.W, PrimaDonna Class ECAM 550.75.MS, PrimaDonna Class ECAM 550.85.MS, PrimaDonna ECAM 510.55 M, PrimaDonna ECAM 550.55 W, PrimaDonna ECAM 650.55 MS, PrimaDonna ECAM 650.75 MS, PrimaDonna ECAM 650.85 MS, PrimaDonna Elite Experience ECAM 650.85.MS, PrimaDonna Exclusive ESAM 6900.M, PrimaDonna S De Luxe ECAM 28.465.M, PrimaDonna S Evo ECAM 510.55.M, PrimaDonna Soul ECAM 610.75 MB, PrimaDonna Soul ECAM 610.74.MB, PrimaDonna XS ETAM 36.365.M
- **Series ETAM:** ETAM 36.365 Primadonna XS Deluxe

The filter is compatible with the following filter models: DeLonghi SER3017, DeLonghi DLSC002, DeLonghi 5513292811, FilterLogic CFL-950, AquaCrest AQK-11, AQK11, AS-CF060, Filter Logic CFL-950B

Parts of the packaging:

- Instructions



Parameters

Basic parameters

Filtering properties:	water filter
Filters for:	coffee maker
Content of the package (pcs):	1
Lifespan:	2 months / 50 liters of water
Warranty:	2
HS code:	42121

Packaging dimensions

Width of the packaging (cm):	6.5
Height of packaging (cm):	17
Depth of packaging (cm):	4.5
Weight including packaging (kg):	0.128



Product Structure



- Filter media**
Used for adsorption and to remove organic matter, sediment, and other impurities.
- Carbon block**
Highly effective for removing chlorine, taste, and odor.
- Activated carbon**
Highly effective for removing chlorine, taste, and odor.
- Microbial filter**
Highly effective for removing bacteria and other microorganisms.

